

LEGEND	Anatomy & Physiology	Application of Speaking Valve	Benefits	Communication Voice	Costs	DoC
	Advanced Dysphagia	Early Intervention	ECMO	Education/Counseling	Mechanical Ventilation	Medication
	Multidisciplinary Team	Off-Label	Hi-Flow Oxygen	Pandemic	Pediatric	Quality of Life
	SLP	Spinal Cord Injury	Swallowing	TBI	Therapy Technique	Tracheostomy
	TTP	Weaning/Decannulation				

- AARC Clinical practice guideline: Pulmonary rehabilitation. (2002). *Respiratory Care*, 37(5), 617-25.
- Abraham, S. S., & Wolf, E. L. (2000). Swallowing physiology of toddlers with long-term tracheostomies: A preliminary study. *Dysphagia*, 15(4), 206-212. <https://doi.org/10.1007/s004550000029>
- Adler, J., & Malone, D. (2012). Early mobilization in the intensive care unit: A systematic review. *Cardiopulmonary Physical Therapy Journal*, 23(1), 5-13.
- Agency for Healthcare Research and Quality, Rockville, MD. Guide to patient and family engagement in hospital quality and safety. <http://www.ahrq.gov/professionals/systems/hospital/engagingfamilies/index.html>
- Akangire, G., & Manimtim, W. (2023). Tracheostomy in infants with severe bronchopulmonary dysplasia: A review. *Frontiers in Pediatrics*, 10. <https://doi.org/10.3389/fped.2022.1066367>
- Alabdah, J., Lynch, J., & McGrath, B. A. (2018). Reduction in hospital length of stay via tracheostomy quality improvement collaborative. *British Journal of Anaesthesia*, 120(5): e25-e26. <https://doi.org/10.1016/j.bja.2017.11.058>
- Aldaker, S. S. M., Quriba, A. S., Hassan, E. M., & Alnakeeb, N. L. (2023). Insight about possible consequences of tracheostomy on swallowing and voice: Review article. *The Egyptian Journal of Hospital Medicine*, 91(1), 4445-4449. <https://doi.org/10.21608/ejhm.2023.296744>
- Allen, C., Glasziou, P., & Del Mar, C. (1999). Bed rest: A potentially harmful treatment needing more careful evaluation. *Lancet*, 354(9186), 1229-1233. [https://doi.org/10.1016/s0140-6736\(98\)10063-6](https://doi.org/10.1016/s0140-6736(98)10063-6)
- Al-Shamaly, H. S. (2022). Patterns of communicating care and caring in the intensive care unit. *Nursing Open*, 9(1), 277-298. <https://doi.org/10.1002/nop2.1061>
- Althubaiti, A. Worobetz, N., Inacio, J. Lukens, J., Mousset, M., Onwuka, A., Stevens, M., Justice, L., Shepherd, E., & Wiet., G. (2022). Tolerance of one-way in-line speaking valve trials in ventilator dependent children. *International Journal of Pediatric Otorhinolaryngology*, 157. <https://doi.org/10.1016/j.ijporl.2022.111131>
- Amathieu, R., Sauvat, S., Reynaud, P., Slavov, V., Luis, D., Dinca, A., Tual, L., Bloc, S., & Dhonneur, G. (2012). Influence of the cuff pressure on the swallowing reflex in tracheostomized intensive care unit patients. *British Journal of Anaesthesia*, 109(4), 578-583. <https://doi.org/10.1093/bja/aes210>
- Aslam, S., Courtwright, A. M., Koval, C., Lehman, S. M., Morales, S., Furr, C. L., Rosas, F., Brownstein, M. J., Fackler, J. R., Sisson, B. M., Biswas, B., Henry, M., Luu, T., Bivens, B. N., Hamilton, T., Duplessis, C., Logan, C., Law, N., Yung, G., Turowski, J., ... Schooley, R. T. (2019). Early clinical experience of bacteriophage therapy in 3 lung transplant recipients. *American Journal of Transplantation*, 19(9), 2631-2639. <https://doi.org/10.1111/ajt.15503>
- Atschuler, T., Santiago, R., & Gormley, J. (2021). Ensuring communication access for all during the COVID-19 pandemic and beyond: Supporting patients, providers, and caregivers in hospitals. *Augmentative and Alternative Communication*, 37(3), 155-167. <https://doi.org/10.1080/07434618.2021.1956584>

-  Austin Health. (2020). *Tracheostomy review and management service: Clinical procedure*. [https://tracheostomyteam.org/wp-content/uploads/2021/09/PMV-in-Spont-breathing-patients\\_Nov-2020.pdf](https://tracheostomyteam.org/wp-content/uploads/2021/09/PMV-in-Spont-breathing-patients_Nov-2020.pdf)
-  Bach, J. R., & Esquinas, A. M. (2013). Speech and mechanical ventilation. *Chest*, 144(5), 1739-1740. <https://doi.org/10.1378/chest.13-1506>
-  Bailey, P., Thomsen, G. E., Spuhler, V. J., Blair, R., Jewkes, J., Bezdjian, L., Veale, K., Rodriguez, L., & Hopkins, R. O. (2007). Early activity is feasible and safe in respiratory failure patients. *Critical Care Medicine*, 35(1), 139-145. <https://doi.org/10.1378/chest.13-1506> <https://doi.org/10.1378/chest.13-1506> <https://doi.org/10.1378/chest.13-1506>
-  Barash, M., & Kurman, J.S. (2021). Patient selection and preoperative evaluation of percutaneous dilation tracheostomy in the intensive care unit. *Journal of Thoracic Disorders*, 13(8), 5251 – 5260. <http://dx.doi.org/10.21037/jtd-2019-ipicu-18>
-  Barnes, G., & Toms, N. (2021). An overview of tracheostomy tubes and mechanical ventilation management for the speech-language pathologist. *Perspectives of the ASHA Special Interest Group*, 6(4), 885-896. [https://doi.org/10.1044/2021\\_PERSP-20-00105](https://doi.org/10.1044/2021_PERSP-20-00105)
-  Bergl, P., Kumar, G., Zane, A., Shah, K., Zellner, S., Taneja, A., Gaurav, D., & Nanchal, R. (2018). 517: Acquired dysphagia after mechanical ventilation an underrecognized and undercoded phenomenon? *Critical Care Medicine*, 46(1): 243. <https://doi.org/10.1097/01.ccm.0000528535.80915.5b>
-  Birrer, K., O'Field, H., Helm, J., Hobbs, B., Perry, M., Effoe, A., Giancarelli, A., Ashworth, S., & Clancy, R. (2023). Acute spinal cord injury management. *Surgical Critical Care*. Retrieved from <https://www.surgicalcriticalcare.net/Guidelines/Acute%20Spinal%20Cord%20Injury%202023.pdf>
-  Blumenfield, L., Salgado, M., Wade, K., Dhupa, A., Ling, E., & Belafsky, P. (2011). The effects of tracheostomy speaking valve use on disordered swallowing. DRS Poster presentation.
-  Boentert, M., Cao, M., Mass, D., De Mattia, E., Falcier, E., Goncalves, M., Holland, V., Katz, S.L., Orlikowski, D., Sannicolo, G., & Wijkstra, P. (2020). Consensus-based care recommendations for pulmonologists treating adults with myotonic dystrophy type 1. *Respiration*, 99(4), 360-368. <https://doi.org/10.1159/000505634>
-  Bonanno, P. C. (1971). Swallowing dysfunction after tracheostomy. *Annals of Surgery*, 174(1), 29-33. <https://doi.org/10.1097/00000658-197107010-00005>
-  Böschens, E., Wendt, A., Müller-Stöver, S., Piechnik, L., Fuchs, H., Lund, M., Steindor, M., Große-Onnebrink, J., Keßler, C., Grychtol, R., & Rothoef, T. (2023). Tracheostomy decannulation in children: A proposal for a structured approach on behalf of the working group chronic respiratory insufficiency within the German-speaking society of pediatric pulmonology. *European Journal of Pediatrics*, 182(7), 2999-3006. <https://doi.org/10.1007/s00431-023-04966-6>
-  Bosma, K. J., Read, B. A., Nikoo, M. J., Jones, P. M., Priestap, F. A., & Lewis, J. F. (2016). A pilot randomized trial comparing weaning from mechanical ventilation on pressure support versus proportional assist ventilation. *Critical Care Medicine*, 44(6), 1098-1108. <https://doi.org/10.1097/00000658-197107010-0000510.1097/ccm.00000000000001600>
-  Botsch, M. L. (2021). An investigation of speech-language pathologist' and parents' perceptions of the counseling techniques provided by speech-language pathologists to pediatric patients with tracheostomies and their families. Senior Independent Study Theses. <https://openworks.wooster.edu/independentstudy/9611>
-  Boussaïd, G., Stalens, C., Devaux, C., Segovia-Kueny, S., Lofaso, F., & Reveillere, C. (2020). Impact of mechanical ventilation methods on the life perception of subjects with Duchenne muscular dystrophy: French cross-sectional survey. *Respiratory Care*, 65(11), 1712-1720. <https://doi.org/10.4187/respcare.07131>
-  Bovento, B., Wallace, S., Lynch, J., Coe, B., & McGrath, B.A. (2017). Role of the multidisciplinary team in the care of the tracheostomy patient. *Journal of Multidisciplinary Health*, 10, 391-398.

-   Brady, S. L., Hildner, C. D., & Hutchins, B. F. (1999). Simultaneous videofluoroscopic swallow study and modified Evans blue dye procedure: An evaluation of blue dye visualization in cases of known aspiration. *Dysphagia*, 14(3), 146-149. <https://doi.org/10.1007/pl00009596>
-    Brooks, L., Figueroa, J., Edwards, T., Reeder, W., McBrayer, S., & Landry, A. (2019). Passy Muir Valve tolerance in medically complex infants and children: Are there predictors for success? *The Laryngoscope*, 130(11), E632-E639. <https://doi.org/10.1002/lary.28440>
-      Brooks, L., Raol, N., Goudy, S., & Ivie, C. (2021). Pediatric medullary stroke, severe dysphagia, and multimodal intervention. *Dysphagia*, 36(5). <https://doi.org/10.1007/s00455-021-10376-3>
-    Bultsma, R., Koopmans, M., Kuiper, M., & Egbers, P. (2014). Ability to speak in ventilator-dependent tracheostomized ICU patients. *Critical Care*, 18(Suppl 1), P323. <https://doi.org/10.1186/cc13513>
-   Burkhead, L. M. (2011). Swallowing evaluation and ventilator dependency – considerations and contemporary approaches. *Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 20(1), 18. <https://doi.org/10.1044/sasd20.1.18>
-   Burkhead, L. M., Sapienza, C. M., & Rosenbek, J. C. (2007). Strength-training exercise in dysphagia rehabilitation: Principles, procedures, and directions for future research. *Dysphagia*, 22(3), 251-265. <https://doi.org/10.1007/s00455-006-9074-z>
-    Cabrio, D., Vesin, T., Lupieri, E., Boffi, A., Hurni, C., Sandu, K., & Piquilloud, L. (2024). Mechanical ventilation and tracheostomy cannula weaning steps and timing in ICU patients tracheostomized for difficult weaning. *SSRN- Elsevier*, 4601906. <https://dx.doi.org/10.2139/ssrn.4601906>
-   Cameron, T. S., McKinstry, A., Burt, S. K., Howard, M. E., Bellomo, R., Brown, D. J., Ross, J. M., Sweeney, J. M., & O'Donoghue, F. J. (2009). Outcomes of patients with spinal cord injury before and after introduction of an interdisciplinary tracheostomy team. *Critical Care and Resuscitation*, 11(1), 14-19.
-    Cameron, T., Zaga, C., Rautela, L., Chao, C., Ross, J., & Marchingo, E. (2017). *Scheduled use of the Passy Muir Valve (PMV) in line with the ventilator*. Austin Health: Australia.
-    Carmona, A. F., Díaz, M. A., Alonso, E. A., Guarasa, I. M., López, P. M., & Castellanos, M. D. (2015). Use of speaking valve on preventing respiratory infections in critical tracheostomized patients diagnosed of dysphagia secondary to artificial airway. Edisval study. *Intensive Care Medicine Experimental*, 3(Suppl 1). <https://doi.org/10.1186/2197-425x-3-s1-a936>
-    Castiglione, A. A. & Landry, T. (2016). What is the evidence describing effectiveness of weaning techniques for tracheostomy decannulation in adult patients? *Rapid Review Evidence Summary*. McGill Health Center.
-    Cavalli, E., Belfiori, G., Molinari, G., Peghetti, A., Zanoni, A., & Chinelli, E. (2023). Does a decannulation protocol exist in COVID-19 patients? The importance of working in a multiprofessional team. *Health Systems*, 2(1), 14. <https://doi.org/10.1007/s44250-023-00031-z>
-      Ceron, C., Otto, D., Signorini, A.V., Beck, M.C., Camilis, M., Sganzerla, D., Rosa, R.G., & Teixeira, C. (2020). The effect of speaking valves on ICU mobility of individuals with tracheostomy. *Respiratory Care*, 65(2), 144-149. <https://doi.org/10.4187/rescare.06768>
-   Chen, Y., Jacobs, W. J., Quan, S. F., Figueiredo, A. J., & Davis, A. H. (2011). Psychophysiological determinants of repeated ventilator weaning failure: An explanatory model. *American Journal of Critical Care*, 20(4), 292-302. <https://doi.org/10.4037/ajcc2011886>
-    Cord, L. L., Rajpal, V., & Solomon, N. P. (2021). Dysphagia management in military service members with polytrauma: Overview and case report. *Perspectives of the ASHA Special Interest Groups*, 6(5), 1033-1046. [https://doi.org/10.1044/2020\\_PERSP-20-00044](https://doi.org/10.1044/2020_PERSP-20-00044)
-    Corley, A., Edwards, M., Spooner, A. J., Dunster, K. R., Anstey, C. M., & Fraser, J. F. (2017). High-flow oxygen via tracheostomy improves oxygenation in patients weaning from mechanical ventilation: A randomised crossover study. *Intensive Care Medicine*, 43(3), 465-7.
-    Côrte, M. M. D. D., Vicente, L. C. C., & Friche, A. A. D. L. (2019). Decannulation: Sociodemographic, clinical and speech-language indicators predictive of success. *Audiology-Communication Research*, 24. <https://doi.org/10.1590/2317-6431-2018-2103>

-   Coyle, J. L. (2014). Dysphagia following prolonged endotracheal intubation: Is there a rule of thumb? *Perspectives on Swallowing and Swallowing Disorders (Dysphagia)*, 23(2), 80. <https://doi.org/10.1044/sasd23.2.80>
-     da Cunha de Lima, J. A., Collet, N., Baggio, M. A., & de Almeida, A. M. (2021). Breastfeeding based on the experience of mothers of tracheostomized children and the use of the Passy-Muir® Valve. *Anna Nery School Journal of Nursing*, 25(3), 1-7. <https://doi.org/10.1590/2177-9465-EAN-2020-0290>
-   Davis, D. G., Bears, S., Barone, J. E., Corvo, P. R., & Tucker, J. B. (2002). Swallowing with a tracheostomy tube in place: Does cuff inflation matter? *Journal of Intensive Care Medicine*, 17(3), 132-135. <https://doi.org/10.1177/088506660201700304>
-  Davis, P. R., & Troup, J. D. (1964). Pressures in the trunk cavities when pulling, pushing and lifting. *Ergonomics*, 7(4), 465-474. <https://doi.org/10.1080/00140136408930764>
-     Davis, S., Weyh, A. M., Salman, S. O., Madbak, F., & Fraker, J. T. (2021). Speech pathology services are integral, but underutilized in tracheostomy rehabilitation. *Craniomaxillofacial Trauma & Reconstruction*, 14(2), 110–118. <https://doi.org/10.1177/1943387520948381>
-  de Jonghe, B., Lacherade, J. C., Sharshar, T., & Outin, H. (2009). Intensive care unit-acquired weakness: Risk factors and prevention. *Critical Care Medicine*, 37(10 Suppl), S309-315 <https://doi.org/10.1097/CCM.0b013e3181b6e64c>
-     de Mestral, C. (2011). Impact of a specialized multidisciplinary tracheostomy team on tracheostomy care in critically ill patients. *Canadian Journal of Surgery*, 54(3), 167-172. <https://doi:10.1503/cjs.043209>
-    Dean, E., & Frownfelter, D. L. (2005). *Cardiovascular and Pulmonary Physical Therapy* (4th ed.). St. Louis, MO:Elsevier/Mosby.
-    Dettelbach, M. A., Gross, R. D., Mahlmann, J., & Eibling, D. E. (1995). Effect of the Passy-Muir valve on aspiration in patients with tracheostomy. *Head & Neck*, 17(4), 297-302. <https://doi.org/10.1002/hed.2880170405>
-    Dharmarajan, H., Belsky, M. A., Anderson, J. L., & Sridharan, S. (2022). Otolaryngology consult protocols in the setting of Covid-19: The university of Pittsburgh approach. *The Annals of Otology, Rhinology, and Laryngology*, 131(1), 12–26. <https://doi.org/10.1177/00034894211005937>
-   Ding, R., & Logemann, J. A. (2005). Swallow physiology in patients with trach cuff inflated or deflated: A retrospective study. *Head & Neck*, 27(9), 809-813. <https://doi.org/10.1002/hed.20248>
-   Dolinay, T., Hsu, L., Maller, A., Corbett Walsh, B., Szucs, A., Jerng, J., & Jun, D. (2024). Ventilator weaning in prolonged mechanical ventilation - A narrative review. *Journal of Clinical Medicine*, 13(7), 1909. <https://doi.org/10.3390/jcm13071909>
-   Donzelli, J., Brady, S., Wesling, M., & Craney, M. (2001). Simultaneous modified Evans blue dye procedure and video nasal endoscopic evaluation of the swallow. *The Laryngoscope*, 111(10), 1746-1750. <https://doi.org/10.1097/00005537-200110000-00015>
-   Donzelli, J., Brady, S., Wesling, M., & Theisen, M. (2006). Secretions, occlusion status, and swallowing in patients with a tracheotomy tube: A descriptive study. *Ear Nose Throat Journal*, 85(12), 831-834.
-     Dubin, R., Veith, J. M., Grippi, M. A., McPeake, J., Harhay, M. O., & Mikkelsen, M. E. (2021). Functional outcomes, goals, and goal attainment among chronically critically ill long-term acute care hospital patients. *Annals of the American Thoracic Society*, 18(12), 2041-2048. <https://doi.org/10.1513/AnnalsATS.202011-1412OC>
-   Duggal, R., Davis, R. J., Appachi, S., Tierney, W. S., Hopkins, B. D., & Bryson, P. C. (2023). Interdisciplinary assessment of tracheostomy care knowledge: An opportunity for quality improvement. *American Journal of Otolaryngology*, 44(4). <https://doi.org/10.1016/j.amjoto.2023.103865>
-   Dunford, M., & Sankey, P. (2022). Tracheostomy clinical management procedures for adult inpatients. NSW Government Health: South Eastern Sydney Local Health District, SESLHDPR/298. Retrieved from <https://www.seslhd.health.nsw.gov.au/sites/default/files/documents/SESLHDPR%20298%20-%20Tracheostomy%20Clinical%20Management%20Procedures%20for%20Adults%20Inpatients.pdf>
-   Durbin, C. G., Jr. (2010). Tracheostomy: Why, when, and how? *Respiratory Care*, 55(8), 1056-1068.

-     Egbers, P. H., & Boerma, E. C. (2017). Communicating with conscious mechanically ventilated critically ill patients: Let them speak with deflated cuff and an in-line speaking valve! *Critical Care*, 21(1).
-    Egbers, P. H., Bultsma, R., Middelkamp, H., & Boerma, E. C. (2014). Enabling speech in ICU patients during mechanical ventilation. *Intensive Care Medicine*, 40(7), 1057-1058. <https://doi.org/10.1007/s00134-014-3315-7>
-      Egbers, P., Sutt, A., Petersson, J., Bergstrom, L., & Sundman, E. (2023). High-flow via a tracheostomy tube and speaking valve during weaning from mechanical ventilation and tracheostomy. *Anaesthesiologica Scandinavica*, 67(10), 1403-1413. <https://doi.org/10.1111/aas.14305>
-      Ehsanian, R., Klein, C., Mohole, J., Colaci, J., Pence, B. T., Crew, J., & McKenna, S. (2019). A novel pharyngeal clearance maneuver for initial tracheostomy tube cuff deflation in high cervical tetraplegia. *American Journal of Physical Medicine & Rehabilitation*, 98(9), 835-838. <https://doi.org/10.1097/PHM.00000000000001192>
-   Eibling, D. E., & Gross, R. D. (1996). Subglottic air pressure: A key component of swallowing efficiency. *Annals of Otology, Rhinology & Laryngology*, 105(4), 253-258. <https://doi.org/10.1177/000348949610500401>
-    Eichar, B., Kaffenberger, T., McCoy, J., Padia, R., Muzumdar, H., & Tobey, A. (2024). Effects of speaking valves on tracheostomy decannulation. *International Archives of Otorhinolaryngology*, 28(1), e157-e164. <https://doi.org/10.1055/s-0043-1767797>
-   Elpern, E. H., Okonek, M. B., Bacon, M., Gerstung, C., & Skrzynski, M. (2000). Effect of the Passy-Muir tracheostomy speaking valve on pulmonary aspiration in adults. *Heart & Lung: The Journal of Acute and Critical Care*, 29(4), 287-293. <https://doi.org/10.1067/mhl.2000.106941>
-   Elpern, E. H., Scott, M. G., Petro, L., & Ries, M. H. (1994). Pulmonary aspiration in mechanically ventilated patients with tracheostomies. *Chest*, 105(2), 563-566. <https://doi.org/10.1378/chest.105.2.563>
-     Fisher, D. F., Kondili, D., Williams, J., Hess, D. R., Bittner, E. A., & Schmidt, U. H. (2013). Tracheostomy tube change before day 7 is associated with earlier use of speaking valve and earlier oral intake. *Respiratory Care*, 58(2), 257-263. <https://doi.org/10.4187/rcp.01714>
-     Ford, D. W., & Martin-Harris, B. (2016). I miss the sound of your voice. *Critical Care Medicine*, 44(6), 1234-1235. <https://doi.org/10.1097/ccm.0000000000001749>
-    Forni, R., Besana, T., Amitrano, A., Voinea, C., & Ogna, A. (2020). Ventilatory weaning and early rehabilitation in COVID-19-related acute respiratory distress syndrome: The experience at Locarno hospital, canton of Ticino, Switzerland. *Swiss Medical Weekly*, 150. <https://doi.org/10.4414/smw.2020.20397>
-     Fraser, J. F., Spooner, A. J., Dunster, K. R., Anstey, C. M., & Corley, A. (2016). Nasal high flow oxygen therapy in patients with COPD reduces respiratory rate and tissue carbon dioxide while increasing tidal and end-expiratory lung volumes: A randomised crossover trial. *Thorax*, 71, 759-61.
-     Freeman-Sanderson, A., Hemsley, B., Thompson, K., Rogers, K. D., Knowles, S., & Hammond, N. E. (2023). Communication functions of adult patients admitted to intensive care: A multicentre, binational point prevalence study. *Australian Critical Care*, 36(6), 1084-1089. <https://doi.org/10.1016/j.aucc.2023.01.009>
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Kenny, B. (2018). Quality of life improves for tracheostomy patients with return of voice: A mixed methods evaluation of the patient experience across the care continuum. *Intensive Critical Care Nursing*, 46, 10-16. <https://doi.org/10.1016/j.jicc.2018.02.004>
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2015). An intervention to allow early speech in ventilated tracheostomy patients in an Australian intensive care unit (ICU): A randomised controlled trial. *Australian Critical Care*, 119, A 6420.
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). An intervention to allow early speech in ventilated tracheostomy patients in an Australian intensive care unit (ICU): A randomised controlled trial. *Australian Critical Care*, 29(2), 114. <https://doi.org/10.1016/j.aucc.2015.12.012>
-     Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Quality of life improves with return of voice in tracheostomy patients in intensive care: An observational study. *Journal of Critical Care*, 33, 186-191. <https://doi.org/10.1016/j.jcrc.2016.01.012>

-  Freeman-Sanderson, A. L., Togher, L., Elkins, M. R., & Phipps, P. R. (2016). Return of voice for ventilated tracheostomy patients in ICU: A randomized, controlled trial of early-targeted intervention. *Critical Care Medicine*, 44(6), 1075-1081. <https://doi.org/10.1097/ccm.0000000000001610>
-  Freeman-Sanderson, A., Ward, E.C., Miles, A., de Pedro Netto, I., Duncan, S., Inamoto, Y., McRae, J., Pillay, N., Skoretz, S.A., Walshe, M., & Brodsky, M.B. (2021). A consensus statement for the management and rehabilitation of communication and swallowing function in the ICU: A global response to COVID-19. *Archives of Physical Medicine and Rehabilitation*, 102(5), 835-842. <https://doi.org/10.1016/j.apmr.2020.10.113>
-  Fröhlich, M. R., Boksberger, H., Barfuss-Schneider, C., Liem, E., & Petry, H. (2017). Safe swallowing and communicating for ventilated intensive care patients with tracheostoma: Implementation of the Passy Muir speaking valve. *Pflege*, 30(6), 87-394. <https://doi.org/10.1024/1012-5302/a000589>
-  Frost, N., Yuan, G., Zhang, J., Rickard, A., McGee, E., DiMatta, M., & Mayer, S. A. (2023). Speech language pathology in the neurocritical care unit. *Current Treatment Options in Neurology*, 25(11), 499-516. <https://doi.org/10.1007/s11940-023-00772-5>
-  Fuller, C., Wineland, A. M., & Richter, G. T. (2021). Update on pediatric tracheostomy: Indications, technique, education, and decannulation. *Current Otorhinolaryngology Reports*, 9(2), 188-199. <https://doi.org/10.1007/s40136-021-00340-y>
-  Gajic, S., Jacobs, L., Gellentien, C., Dubin, R. M., & Ma, K. (2024). Implementation of above-cuff vocalization after tracheostomy is feasible and associated with earlier speech. *American Journal of Speech-Language Pathology*, 33(1), 51-56. [https://doi.org/10.1044/2023\\_AJSLP-23-00184](https://doi.org/10.1044/2023_AJSLP-23-00184)
-  Gallice, T., Cugy, E., Germain, C., Barthélémy, C., Laimay, J., Gaube, J., Engelhardt, M., Branchard, O., Maloizel, E., Frison, E., & Dehail, P. (2023). A pluridisciplinary tracheostomy weaning protocol for brain-injured patients, outside of the intensive care unit and without instrumental assessment: Results of pilot study. *Dysphagia*, 39, 608-622. <https://doi.org/10.1007/s00455-023-10641-7>
-  Gallice, T., Cugy, E., Laimay, J., Branchard, O., Germain, C., Dehail, P., Cuny, E., & Engelhardt, J. (2024). Effect of a speaking valve on nasal airflow during tracheostomy weaning: A case series. *Neurocritical Care*. <https://doi.org/10.1007/s12028-024-01966-8>
-  Gandevia, S. C., Butler, J. E., Hodges, P. W., & Taylor, J. L. (2002). Balancing acts: Respiratory sensations, motor control and human posture. *Clinical and Experimental Pharmacology and Physiology*, 29(1-2), 118-121. <https://doi.org/10.1046/j.1440-1681.2002.03611.x>
-  Geddes, L., O'Brien, K., Reid, W. D., Brooks, D., & Crowe, J. (2008). Inspiratory muscle training in adults with chronic obstructive pulmonary disease: An update of a systematic review. *Respiratory Medicine*, 102(12), 1715-1729. <https://doi.org/10.1016/j.rmed.2008.07.005>
-  Gentile, M. N., Irvine, A. D., King, A. M., Hembrom, A. S., Guruswamy, K. S., Palivela, N. E., Langton-Frost, N., McElroy, C. R., & Pandian, V. (2024). Enhancing communication in critically ill patients with a tracheostomy: A systematic review of evidence-based interventions and outcomes. *Tracheostomy*, 1(1) 26-41. <https://trachjournal.scholasticahq.com/article/115440-enhancing-communication-in-critically-ill-patients-with-a-tracheostomy-a-systematic-review-of-evidence-based-interventions-and-outcomes>
-  Girard, T. D., Alhazzani, W., Kress, J. P., Ouellette, D. R., Schmidt, G. A., Truwit, J. D., Nurns, S. M., Epstein, S. K., Esteban, A., Fan, E., Ferrer, M., Fraser, G. L., Gong, M. N., Hough, C. L., Mehta, S., Nanchal, R., Patel, S., Pawlik, A. J., Schweickert, W. D., Sessler, C. N., & Morris, P. E. (2017). An official American Thoracic Society/American College of Chest Physicians clinical practice guideline: Liberation from mechanical ventilation in critically ill adults: Rehabilitation protocols, ventilator liberation protocols, and cuff leak tests. *American Journal of Respiratory Critical Care Medicine*, 195, 120-133.
-  Goff, P., & Patterson, J. (2019). Eating and drinking with an inflated tracheostomy cuff: A systematic review of the aspiration risk. *International Journal of Language and Communication Disorders*, 54(1), 30-40. <https://doi.org/10.1111/1460-6984.12430>
-  Goldman, R. A., Swendseid, B., Chan, J. Y., Lewandowski, M., Adams, J., Purcell, M., & Cognetti, D. M. (2020). Tracheostomy management during the COVID-19 pandemic. *Otolaryngology—Head and Neck Surgery*, 163(1), 67-69. <https://doi.org/10.1177/0194599820923632>

- 
 Gomes, R. H. S., de Siqueira Aoki, M. C., Santos, R. S., & Motter, A. A. (2016). The communication of the tracheostomized patient: an integrated review. *Revista CEFAC: Speech, Language, and Hearing Sciences and Education Journal*, 18(5). <http://dx.doi.org/10.1590/1982-021620161851916>
- 
 Goode-Roberts, M., Bickel, S. G., Stout, D. L., Calvery, M. L., Thompson, J. E., & Behrman, A. L. (2021). Impact of activity-based therapy on respiratory outcomes in a medically complex child. *Children*, 8(1), 36. <https://doi.org/10.3390/children8010036>
- 
 Greene, Z. M., Davenport, J., Fitzgerald, S., Russell, J. D., & McNally, P. (2019). Tracheostomy speaking valve modification in children: A standardized approach leads to widespread use. *Pediatric Pulmonology*, 54(4), 428-435. <https://doi.org/10.1002/ppul.24209>
- 
 Grewal, J., Sutt, A. L., Cornmell, G., Shekar, K., & Fraser, J. (2020). Safety and putative benefits of tracheostomy tube placement in patients on extracorporeal membrane oxygenation: A single-center experience. *Journal of Intensive Care Medicine*, 35(11), 1153 – 1161. <https://doi.org/10.1177/0885066619837939>
- 
 Griffiths, R. D., & Jones, C. (1999). ABC of intensive care: Recovery from intensive care. *British Medical Journal*, 319(7207), 427-429. <https://doi.org/10.1136/bmj.319.7207.427>
- 
 Griffiths, R. D., Palmer, T. E., Helliwell, T., MacLennan, P., & MacMillan, R. R. (1995). Effect of passive stretching on the wasting of muscle in the critically ill. *Nutrition*, 11(5), 428-432. [https://doi.org/10.1016/s0899-9007\(96\)00372-3](https://doi.org/10.1016/s0899-9007(96)00372-3)
- 
 Gross, R. D., Atwood, C. W., Grayhack, J. P., Jr., & Shaiman, S. (2003). Lung volume effects on pharyngeal swallowing physiology. *Journal of Applied Physiology*, 95(6), 2211-2217. <https://doi.org/10.1152/japplphysiol.00316.2003>
- 
 Gross, R. D., Atwood, C. W., Jr., Ross, S. B., Olszewski, J. W., & Eichhorn, K. A. (2009). The coordination of breathing and swallowing in chronic obstructive pulmonary disease. *American Journal of Respiratory and Critical Care Medicine*, 179(7), 559-565. <https://doi.org/10.1164/rccm.200807-1139oc>
- 
 Gross, R. D., Mahlmann, J., & Grayhack, J. P. (2003). Physiologic effects of open and closed tracheostomy tubes on the pharyngeal swallow. *Annals of Otology, Rhinology & Laryngology*, 112(2), 143-152. <https://doi.org/10.1177/000348940311200207>
- 
 Gross, R. D., Steinhauer, K. M., Zajac, D. J., & Weissler, M. C. (2006). Direct measurement of subglottic air pressure while swallowing. *The Laryngoscope*, 116(5), 753-761. <https://doi.org/10.1097/01.mlg.0000205168.39446.12>
- 
 Grossbach, I., Stranberg, S., & Chlan, L. (2010). Promoting effective communication for patients receiving mechanical ventilation. *Critical Care Nurse*, 31(3), 46-60. <https://doi.org/10.4037/ccn2010728>
- 
 Grosu, H. B., Lee, Y. I., Lee, J., Eden, E., Eikermann, M., & Rose, K. M. (2012). Diaphragm muscle thinning in patients who are mechanically ventilated. *Chest*, 142(6), 1455-1460. <https://doi.org/10.1378/chest.11-1638>
- 
 Guia, M., Ciobanu, L.D., Sreedharan, J.K., Abdelrahim, M.E., Gonçalves, G., Cabrita, B., Alqahtani, J.S., Duan, J., El-Khatib, M., Diaz-Abad, M., & Wittenstein, J. (2021). The role of non-invasive ventilation in weaning and decannulating critically ill patients with tracheostomy: A narrative review of the literature. *Pulmonology*, 27(1), 43-51. <https://doi.org/10.1016/j.pulmoe.2020.07.002>
- 
 Guttormson, J. L., Bremer, K. L., & Jones, R. M. (2015). "Not being able to talk was horrid": A descriptive, correlational study of communication during mechanical ventilation. *Intensive and Critical Care Nursing*, 31(3), 179-186. <https://doi.org/10.1016/j.iccn.2014.10.007>
- 
 Hagins, M., & Lamberg, E. M. (2006). Natural breath control during lifting tasks: Effect of load. *European Journal of Applied Physiology*, 96(4), 453-458. <https://doi.org/10.1007/s00421-005-0097-1>
- 
 Hagins, M., Pietrek, M., Sheikhzadeh, A., Nordin, M., & Axen, K. (2004). The effects of breath control on intra-abdominal pressure during lifting tasks. *Spine*, 29(4), 464-469. <https://doi.org/10.1097/01.brs.0000092368.90019.d8>

-  Hamaoui, A., Gonneau, E., & Bozec, S. L. (2010). Respiratory disturbance to posture varies according to the respiratory mode. *Neuroscience Letters*, 475(3), 141-144. <https://doi.org/10.1016/j.neulet.2010.03.064>
-  Han, X. X., Qiao, J., Meng, Z. A., Pan, D. M., Zhang, K., Wei, X. M., & Dou, Z. L. (2023). The biomechanical characteristics of swallowing in tracheostomized patients with aspiration following acquired brain injury: A cross-sectional study. *Brain Sciences*, 13(1), 91. <https://doi.org/10.3390/brainsci13010091>
-  Han, X., Ye, Q., Meng, Z., Pan, D., Wei, X., Wen, H., & Dou, Z. (2022). Biomechanical mechanism of reduced aspiration by the Passy-Muir valve in tracheostomized patients following acquired brain injury: Evidences from subglottic pressure. *Frontiers in Neuroscience*, 16, 1004013. <https://doi.org/10.3389/fnins.2022.1004013>
-  Hårdemark Cedborg, A., Sundman, E., Bodén, K., Hedström, H. W., Kylenstierna, R., Ekberg, O., & Eriksson, L. I. (2009). Co-ordination of spontaneous swallowing with respiratory airflow and diaphragmatic and abdominal muscle activity in healthy adult humans. *Experimental Physiology*, 94(4), 459-468. <https://doi.org/10.1113/expphysiol.2008.045724>
-  Hashmi, N. K., Ransom, E., Nardone, H., Redding, N., & Mirza, N. (2010). Quality of life and self-image in patients undergoing tracheostomy. *The Laryngoscope*, 120(S4). <https://doi.org/10.1002/lary.21663>
-  HCAHPS. (2016). Patients' perspectives of care survey - Centers for Medicare & Medicaid services. Retrieved April 8, 2016, from <https://www.cms.gov/Medicare/Quality-Initiatives-Patient-Assessment-instruments/HospitalQualityInits/HospitalHCAHPS.html>
-  Heffner, J. E. (2005). Management of the chronically ventilated patient with a tracheostomy. *Chronic Respiratory Disease*, 2(3), 151-161. <https://doi.org/10.1191/1479972305cd084ra>
-  Henningfeld, J., Lang, C., Erato, G., Silverman, A. H., & Goday, P. S. (2021). Feeding disorders in children with tracheostomy tubes. *Nutrition in Clinical Practice*, 36(3), 689-695. <https://doi.org/10.1002/ncp.10551>
-  Hernandez, G., Pedrosa, A., Ortiz, R., Accuaroni, M. D., Cuena, R., Collado, C. V., Plaza, S. G., Arenas, P. G., & Fernandez, R. (2013). The effects of increasing effective airway diameter on weaning from mechanical ventilation in tracheostomized patients: A randomized controlled trial. *Intensive Care Medicine*, 39(6), 1063-1070. <https://doi.org/10.1007/s00134-013-2870-7>
-  Hiss, S. G., Strauss, M., Treole, K., Stuart, A., & Boutilier, S. (2003). Swallowing apnea as a function of airway closure. *Dysphagia*, 18(4), 293-300. <https://doi.org/10.1007/s00455-003-0021-y>
-  Hodges, P. W., & Gandevia, S. C. (2000). Changes in intra-abdominal pressure during postural and respiratory activation of the human diaphragm. *Journal of Applied Physiology*, 89(3), 967-976.
-  Hofmann, L., Bolton, J., & Ferry, S. (2008). Passy-Muir speaking valve use in a children's hospital: An interdisciplinary approach. *Perspectives: ASHA*, 18(2), 76-86. <https://doi.org/10.1044/vvd18.2.76>
-  Hoit, J. D., Banzett, R. B., Lohmeier, H. L., Hixon, T. J., & Brown, R. (2003). Clinical ventilator adjustments that improve speech. *Chest*, 124(4), 1512-1521. <https://doi.org/10.1378/chest.124.4.1512>
-  Holmes, T. R., Cumming, B. D., Sideris, A. W., Lee, J. W., Briggs, N. E., & Havas, T. E. (2019). Multidisciplinary tracheotomy teams: An analysis of patient outcomes and resource allocation. *Ear, Nose & Throat Journal*, 98(4), 232–237. <https://doi.org/10.1177/0145561319840103>
-  Howard, M. M., Phillips, J., Henley, S., Green, S., & Rosario, E. (2021). Impact of osteophytectomy on swallowing function in a patient with chronic dysphagia. *OBM Geriatrics*, 5(3). <https://doi.org/10.21926/obm.geriatr.2103175>
-  Irish Association of Speech & Language Therapists. (2022). *Tracheostomy management: Clinical guideline 2017*. [https://www.stjames.ie/media/IASLT%20Tracheostomy\\_Guidelines-7-DEC-2017%20\(2\).pdf](https://www.stjames.ie/media/IASLT%20Tracheostomy_Guidelines-7-DEC-2017%20(2).pdf)
-  Istanboulian, L., Rose, L., Gorospe, F., Yunusova, Y., & Dale, C. M. (2020). Barriers to and facilitators for the use of augmentative and alternative communication and voice restorative strategies for adults with an advanced airway in the intensive care unit: A scoping review. *Journal of Critical Care*, 57, 168 – 176. <https://doi.org/10.1016/j.jcrc.2020.02.015>

-  Janssens, J-P., Michel, F., Schwarz, E. I., Prella, M., Bloch, K., Adler, D., Brill, A-K., Geenens, A., Karrer, W., Ogna, A., Ott, S., Rudiger, J., Schoch, O. D., Soler, M., Strobel, W., Uldry, C., & Gex, G. (2020). Long-term mechanical ventilation: Recommendations of the Swiss Society of Pulmonology. *Respiration*, 99, 867 – 902. <https://doi.org/10.1159/000510086>
-  Johnson, D. C., Campbell, S. L., & Rabkin, J. D. (2009). Tracheostomy tube manometry: Evaluation of speaking valves, capping and need for downsizing. *The Clinical Respiratory Journal*, 3(1), 8-14. <https://doi.org/10.1111/j.1752-699x.2008.00100.x>
-  Kam, K., Patzelt, R., & Soenen, R. (2022). Pediatric tracheostomy speaking valves: A multidisciplinary protocol leads to earlier initial trials. *Journal of Child Health Care*. <https://doi.org/10.1177/13674935211070416>
-  Kamel, K. S., Beckert, L. E., & Stringer, M. D. (2009). Novel insights into the elastic and muscular components of the human trachea. *Clinical Anatomy*, 22(6), 689-697. <https://doi.org/10.1002/ca.20841>
-  Karlsen, M. M. W., Holm, A., Kvande, M. E., Dreyer, P., Tate, J. A., Heyn, L. G., & Happ, M. B. (2023). Communication with mechanically ventilated patients in intensive care units: A concept analysis. *Journal of Advanced Nursing*, 79(2), 563-580. <https://doi.org/10.1111/jan.15501>
-  Kennedy, A., Hart, C. K., de Alarcon, A., Balakrishman, K., Boudewyns, A., Chun, R., Fayouix, P., Goudy, S. L., Hartnick, C., Hsu, W., Johnson, R. F., Kuo, M., Peer, S., Pransky, S. M., Rahbar, R., Rickert, S., Roy, S., Russell, J., Sandu, K., Sidell, D. ... Rutter, M. J. (2021). International pediatric otolaryngology group (IPOG) management recommendations: Pediatric tracheostomy decannulation. *International Journal of Pediatric Otorhinolaryngology*, 141, 110565. <https://doi.org/10.1016/j.ijporl.2020.110565>
-  Khalaila, R., Zbidat, W., Anwar, K., Bayya, A., Linton, D. M., & Sviri, S. (2011). Communication difficulties and psychoemotional distress in patients receiving mechanical ventilation. *American Journal of Critical Care*, 20(6), 470-479. <https://doi.org/10.4037/ajcc2011989>
-  Kinneally, T. (2018). Do speaking valves reduce sedative drug use in ICU? A retrospective data analysis. *Australian Critical Care*, 31(2), 131-132.
-  Knott, J.M., & Parker, C. R. (2019). Speech-language pathologists and respiratory therapists: Team approach to caring for patients with long-term tracheotomy. *Journal of Public Health in the Deep South*, 1(1). <https://journals.library.msstate.edu/index.php/jphds/article/view/888>
-  Kolb, C.M., Halbert, K., Xaio, W., Strang, A. R., & Briddell, J. W. (2021). Comparing decannulation failures and successes in pediatric tracheostomy: An 18-year experience. *Pediatric Pulmonology*, 56, 2761 – 2768. <https://doi.org/10.1002/ppul.25170>
-  Korupolu, R., Stampus, A., Jimenez, I. H., Cruz, D., Di Gusto, M.L., Verduzco-Gutierrez, M., & Davis, M.E. (2021). Mechanical ventilation and weaning practices for adults with spinal cord injury – An international survey. *Journal of the International Society of Physical and Rehabilitation Medicine*, 4, 131-140. [https://doi.org/10.4103/JISPRM-JISPRM\\_000124](https://doi.org/10.4103/JISPRM-JISPRM_000124)
-  Kowalski, S., El-Gabalawy, R., Macaulay, K., Thorkelsson, R., Robertson, A., Bshouty, Z., & Girling, L. (2017). Weaning from mechanical ventilation using tracheostomy cuff deflation and a one-way speaking valve: A historical-cohort series. *Canadian Journal of Anesthesia*, 64(12), 1286-1288. <https://doi.org/10.1007/s12630-017-0964-3>
-  Laciuga, H., Rosenbek, J. C., Davenport, P. W., & Sapienza, C. M. (2014). Functional outcomes associated with expiratory muscle strength training: Narrative review. *Journal of Rehabilitation Research and Development*, 51(4), 535-546. <https://doi.org/10.1682/jrrd.2013.03.0076>
-  Lamberg, E. M., & Hagins, M. (2013). Breath control during a tiptoe task. *Physiotherapy Theory and Practice*, 30(3), 178-182. <https://doi.org/10.3109/09593985.2013.834527>
-  Leblanc, J., Shultz, J. R., Seresova, A., Guise, E. D., Lamoureux, J., Fong, N., ... Khwaja, K. (2010). Outcome in tracheostomized patients with severe traumatic brain injury following implementation of a specialized multidisciplinary tracheostomy team. *Journal of Head Trauma Rehabilitation*, 25(5), 362-365. <https://doi.org/10.1097/htr.0b013e3181cd67ea>

-   Li, J., Perez, A., Schehl, J., Albers, A., & Husain, I. A. (2021). The association between upper airway patency and speaking valve trial tolerance for patients with tracheostomy: A clinical retrospective study and an in vitro study. *American Journal of Speech-Language Pathology*, 30(4), 1728-1736. [https://doi.org/10.1044/2021\\_AJSLP-20-00331](https://doi.org/10.1044/2021_AJSLP-20-00331)
-    Li, L., Wikner, E., Behzadpour, H., Perez, G., & Mudd, P. (2021). Decrease in respiratory related hospitalizations in tracheostomy-dependent children who tolerate Passy-Muir Valve use. *The Annals of Otology, Rhinology, and Laryngology*, 130(6), 623–628. <https://doi.org/10.1177/0003489420966612>
-   Lian, S., Teng, L., Mao, Z., & Jiang, H. (2022). Clinical utility and future direction of speaking valve: A review. *Frontiers in Surgery*, 9, 913147. <https://doi.org/10.3389/fsurg.2022.913147>
-   Lichtman, S. W., Birnbaum, I. L., Sanfilippo, M. R., Pellicone, J. T., Damon, W. J., & King, M. L. (1995). Effect of a tracheostomy speaking valve on secretions, arterial oxygenation, and olfaction: A quantitative evaluation. *Journal of Speech Language and Hearing Research*, 38(3), 549-555. <https://doi.org/10.1044/jshr.3803.549>
-  Limaye, S. S., & Katz, P. (2006). Challenges of pain assessment and management in the minority elderly population. *Annals of Long-Term Care*, 14(11), 34.
-   Lloyd, A. M., Behzadpour, H. K., Rana, M. S., & Espinel, A. G. (2024). Time considerations and outcomes in pediatric tracheostomy decannulation. *International Journal of Pediatric Otorhinolaryngology*, 179. <https://doi.org/10.1016/j.ijporl.2024.111934>
-    López, A. M., & Nichols, M. E. (2023). A conscious approach to decannulation: Clinical application of a one-way speaking valve with disorders of consciousness. *Perspectives of the ASHA Special Interest Groups (SIG 13)*, 8(2), 337-342. [https://doi.org/10.1044/2022\\_PERSP-22-00222](https://doi.org/10.1044/2022_PERSP-22-00222)
-  Lord, R. K., Mayhew, C. R., Korupolu, R., Manthei, E. C., Friedman, M. A., Palmer, J. B., & Needham, D. M. (2013). ICU early physical rehabilitation programs. *Critical Care Medicine*, 41(3), 717-724. <https://doi.org/10.1097/CCM.0b013e3182711de2>
-     Mah, J. W., Staff, I. I., Fisher, S. R., & Butler, K. L. (2016). Improving decannulation and swallowing function: A comprehensive, multidisciplinary approach to post- tracheostomy care. *Respiratory Care*, 62(2), 137-143.
-    Manzano, J. L., Lubillo, S., Henríquez, D., Martín, J. C., Pérez, M. C., & Wilson, D. J. (1993). Verbal communication of ventilator-dependent patients. *Critical Care Medicine*, 21(4), 512-517. <https://doi.org/10.1097/00003246-199304000-00009>
-  Marini, C., McMurdo, E., McNeils, J., Lewis, E., Pollicastro, A., Lombardo, G., Karev, D., & Petrone, P. (2023). A prospective comparative study of the functional results associated with the use of Bjork flap tracheostomy versus standard tracheostomy. *European Journal of Trauma and Emergency Services*, 49, 1329-1335. <https://doi.org/10.1007/s00068-023-02223-x>
-     Martin, A. (2022). The use of the Passy Muir Valve with COVID-19 veno-venous extra corporeal membrane oxygenation patients; A case series. *Journal of the Intensive Care Society*, 23(1), 173. <https://pesquisa.bvsalud.org/global-literature-on-novel-coronavirus-2019-ncov/resource/pt/covidwho-2043008>
-    Martin, K. A., Cole, T., Percha, C. M., Asanuma, N., Mattare, K., Hager, D. N., Brenner, M. J., & Pandian, V. (2021). Standard versus accelerated speaking valve placement after percutaneous tracheostomy: A randomized controlled feasibility study. *Annals of the American Thoracic Society*, 18(10), 1693 – 1701. <https://doi.org/10.1513/AnnalsATS.202010-1282OC>
-    Massery, M. (2014). Expert interview: The role of the Passy-Muir Valve in physical therapy. *Talk Muir* (3 Feb. 2014): 2-4.
-   Massery, M. (2006). Multisystem consequences of impaired breathing mechanics and/or postural control in cardiovascular and pulmonary physical therapy evidence and practice. (4th ed.) In Frownfelter, D. & Dean, E., (Eds.) St. Louis, MO: Elsevier Health Sciences, 695.
-  Massery, M., Hagins, M., Stafford, R., Moerchen, V., & Hodges, P. W. (2013). Effect of airway control by glottal structures on postural stability. *Journal of Applied Physiology*, 115(4), 483-490. <https://doi.org/10.1152/japplphysiol.01226.2012>

-    McGrath, B. A., Ashby, N., Birchall, M., Dean, P., Doherty, C., Ferguson, K., Gimblett, J., Grocott, M., Jacob, T., Kerawala, C., Macnaughton, P., Magennis, P., Moonsinghe, R., Twose, P., Wallace, S., & Higgs, A. (2020). Multidisciplinary guidance for safe tracheostomy care during the COVID-19 pandemic: The NHS National Patient Safety Improvement Programme (NatPatSIP). *Anaesthesia*, 75(12), 1659 -1670. <https://doi.org/10.1111/anae.15120>
-    McGrath, B. A., Brenner, M.J., Warrillow, S.J., Pandian, V., Arora, A., Cameron, T.S., Añon, J. M., Martínez, G. H., Truog, R. D., Block, S. D., Lui, G.C., McDonald, C., Rassekh, C. H., Atkins, J., Qiang, L., Vergez, S., Dulguerov., P., Zenk, J., Antonelli, M., Pelosi, P., ... Feller-Kopman, D. J. (2020). Tracheostomy in the COVID-19 era: Global and multidisciplinary guidance. *The Lancet Respiratory Medicine*, 8(7), 717-725. [https://doi.org/10.1016/S2213-2600\(20\)30230-7](https://doi.org/10.1016/S2213-2600(20)30230-7)
-    McGrath, B., Lynch, J., Wilson, M., Nicholson, L., & Wallace, S. (2016). Above cuff vocalisation: A novel technique for communication in the ventilator-dependent tracheostomy patient. *Journal of the Intensive Care Society*, 17(1), 19-26. <https://doi.org/10.1177/1751143715607549>
-    McGrath, B. A., Wallace, S., Lynch, J., Bonvento, B., Coe, B., Owen, A., Firn, M., Brenner, M. J., Edwards, E., Finch, T. L., Cameron, T., Narula, A., & Roberson, D. W. (2020). Improving tracheostomy care in the United Kingdom: Results of a guided quality improvement programme in 20 diverse hospitals. *British Journal of Anaesthesia*, 125(1), e119-e129. <https://doi.org/10.1016/j.bja.2020.04.064>
-   McGrath, B. A., Wallace, S., Wilson, M., Nicholson, L., Felton, T., Bowyer, C., & Bentley, A. M. (2019). Safety and feasibility of above cuff vocalisation for ventilator-dependant patients with tracheostomies. *Journal of the Intensive Care Society*, 20(1), 59-65. <https://doi.org/10.1177%2F1751143718767055>
-   McMahon, A., Griffin, S., Gorman, E., Lennon, A., Kielthy, S., Flannery, A., Cherian, B. S., Josy, M., & Marsh, B. (2023). Patient-centered outcomes following tracheostomy in critical care. *Journal of Intensive Care Medicine*, 38(8), 727-736. <https://doi.org/10.1177/08850666231160669>
-    McRae, J., Montgomery, E., Garstand, Z., & Cleary, E. (2020). The role of speech and language therapists in the intensive care unit. *Journal of the Intensive Care Society*, 21(4), 344-348. <https://doi.org/10.1177/1751143719875687>
-    McRae, J., Smith, C., Beeke, S., & Emmanuel, A. (2019). Oropharyngeal dysphagia management in cervical spinal cord injury patients: An exploratory survey of variations to care across specialised and non-specialised units. *Spinal Cord Series and Cases*, 5(31). <https://doi.org/10.1038/s41394-019-0175-y>
-     Meister, K. D., Pandian, V., Hillel, A. T., Walsh, B. K., Brodsky, M. B., Balakrishnan, K., Best, S. R., Chinn, S. B., Cramer, J. D., Graboyes, E. M., McGrath, B. A., Rassekh, C. H., Bedwell, J. R., & Brenner, M. J. (2021). Multidisciplinary safety recommendations after tracheostomy during COVID-19 pandemic: State of the art review. *Otolaryngology–Head and Neck Surgery*, 164(5), 984-1000. <https://doi.org/10.1177%2F0194599820961990>
-  Mélotte, E. (2021). *Contribution to the study of the links between consciousness and swallowing* [Doctoral dissertation, Université de Liège, Liège, Belgique]. ORBI.
-   Menke, B., Spencer, J., & Dowdall, J. (2023). Transcervical intubation for massive self-inflicted neck wound transecting the epiglottis. *Trauma Case Reports*, 43. <https://doi.org/10.1016/j.tcr.2022.100752>
-     Miles, A., McRae, J., Clunie, G., Gillivan-Murphy, P., Inamoto, Y., Kalf, H., Pillay, M., Pownall, S., Ratcliffe, P., Richard, T., Robinson, U., Wallace, S., & Brodsky, M.B. (2022). An international commentary on dysphagia and dysphonia during the COVID-19 pandemic. *Dysphagia*, 1-26. <https://doi.org/10.1007/s00455-021-10396-z>
-     Mirzakhani, H., Williams, J., Mello, J., Joseph, S., Meyer, M. J., Waak, K., Schmidt, U., Kelly, E.,& Eikermann, M. (2013). Muscle weakness predicts pharyngeal dysfunction and symptomatic aspiration in long-term ventilated patients. *Anesthesiology*, 119(2), 389-397. <https://doi.org/10.1097/ALN.0b013e31829373fe>

-     Mohapatra, B. & Mohan, R. (2020). Speech-language pathologists' role in the multi-disciplinary management and rehabilitation of patients with COVID-19. *Journal of Rehabilitation Medicine - Clinical Communications*, 3. <https://doi.org/10.2340/20030711-1000037>
-       Mooney, B., Lawrence, C., Johnson, E. G., Slaboden, A., & Ball, K. (2020). How COVID-19 patients were moved to speak: A rehabilitation interdisciplinary case series. *HSS Journal*, 16(Supp 1), 56-63. <https://doi.org/10.1007/s11420-020-09778-0>
-    Moore, K. (2016). *Interprofessional Patient Simulation Training Compared to Online Training for learning to use In-Line Speaking Valves*. Electronic Theses and Dissertations. ETSU Digital Commons: Tennessee.
-   Morris, P. E., Goad, A., Thompson, C., Taylor, K., Harry, B., Passmore, L., Ross, A., Anderson, L., Baker, S., Sanchez, M., Penley, L., Howard, A., Dixon, L., Leach, S., Samll, R., Hite, R. D., & Haponik, E. (2008). Early intensive care unit mobility therapy in the treatment of acute respiratory failure. *Critical Care Medicine*, 36(8), 2238-2243. <https://doi.org/10.1097/CCM.0b013e318180b90e>
-   Morris, P. E., Griffin, L., Berry, M., Thompson, C., Hite, R. D., Winkelman, C., Hopkins, R. O., Ross, A., Dixon, L., Leach, S., & Haponik, E. (2011). Receiving early mobility during an intensive care unit admission is a predictor of improved outcomes in acute respiratory failure. *The American Journal of the Medical Sciences*, 341(5), 373-377. <https://doi.org/10.1097/MAJ.0b013e31820ab4f6>
-   Morrow, E.L., Hereford, A.P., Covington, N. V., & Duff, M.C. (2020). Traumatic brain injury in the acute care setting: Assessment and management practices of speech-language pathologists. *Brain Injury*, 34(12), 1590-1609. <https://doi.org/10.1080/02699052.2020.1766114>
-  Muz, J., Mathog, R. H., Rosen, R., Miller, P. R., & Borrero, G. (1987). Detection and quantification of laryngotracheopulmonary aspiration with scintigraphy. *The Laryngoscope*, 97(10), 1180-1185. <https://doi.org/10.1288/00005537-198710000-00012>
-   Nabozny, M. J., Barnato, A. E., Rathouz, P. J., Havlena, J. A., Kind, A. J., Ehlenbach, W. J., Zhao, Q., Ronk, K., Smith, M. A., Greenberg, C. C., & Schwarze, M. L. (2016). Trajectories and prognosis of older patients who have prolonged mechanical ventilation after high-risk surgery. *Critical Care Medicine*, 44(6), 1091-1097. <https://doi.org/10.1097/CCM.0000000000001618>
-   Needham, D. M. (2008). Mobilizing patients in the intensive care unit improving neuromuscular weakness and physical function. *Journal of the American Medical Association*, 300(14), 1685-1690. <https://doi.org/10.1001/jama.300.14.1685>
-   Needham, D. M., Korupolu, R., Zanni, J. M., Pradhan, P., Colantuoni, E., Palmer, J. B., Brower, R. G., & Fan, E. (2010). Early physical medicine and rehabilitation for patients with acute respiratory failure: A quality improvement project. *Archives of Physical Medicine and Rehabilitation*, 91(4), 536-542. <https://doi.org/10.1016/j.apmr.2010.01.002>
-      Nelson-McMillan, K., Vricella, L. A., Stewart, F. D., Young, J., Shah, A. S., Hibino, N., & Coulson, J. D. (2020). Recovery from total acute lung failure after 20 months of extracorporeal life support. *ASAIO Journal*, 66(1), e11-e14. <https://doi.org/10.1097/MAT.0000000000000990>
-    Newman, H., Clunie, G., Wallace, S., Smith, C., Martin, D., & Pattison, N. (2022). What matters most to adults with a tracheostomy in ICU and the implications for clinical practice: A qualitative systematic review and metasynthesis. *Journal of Critical Care*, 72. <https://doi.org/10.1016/j.jcrc.2022.154145>
-   Nguyen, A., Rajski, B., Furey, V., Duffner, L., Young, B., & Husain, I. (2023). Upper airway and tracheostomy management in patients with COVID-19: A long-term acute care hospital (LTACH). *American Journal of Otolaryngology*, 45(1). <https://doi.org/10.1016/j.amjoto.2023.104029>
-   Ninan, A., Grubb, L. M., Brenner, M. J., & Pandian, V. (2023). Effectiveness of interprofessional tracheostomy teams: A systematic review. *Journal of Clinical Nursing*, 32(19-20), 6967-6986. <https://doi.org/10.1111/jocn.16815>
-   Nieto, K., Ang, D., & Liu, H. (2022). Dysphagia among geriatric trauma patients: A population-based study. *Plos One*, 17(2). <https://doi.org/10.1371/journal.pone.0262623>

-  O'Connor, L. R., Morris, N. R., & Paratz, J. (2019). Physiological and clinical outcomes associated with use of one-way speaking valves on tracheostomised patients: A systematic review. *Heart & Lung*, 48(4), 356-364. <https://doi.org/10.1016/j.hrtlng.2018.11.006>
-  O'Connor, L. R., Morris, N., & Paratz, J. (2021). The safety and efficacy of prolonged use of one-way speaking valves. *Australian Critical Care*, 34(4), 319-326. <https://doi.org/10.1016/j.aucc.2020.09.003>
-  Orlikoff, R. F. (2008). Voice production during a weightlifting and support task. *Folia Phoniatrica Et Logopaedica*, 60(4), 188-194. <https://doi.org/10.1159/000128277>
-  Pandian, V., Boisen, S., Mathews, S., & Brenner, M. J. (2019). Speech and safety in tracheostomy patients receiving mechanical ventilation: A systematic review. *American Journal of Critical Care*, 28(6), 441-450. <https://doi.org/10.4037/ajcc2019892>
-  Pandian, V., Boisen, S., Mathews, S., & Cole, T. (2019). Are fenestrated tracheostomy tubes still valuable? *American Journal of Speech-Language Pathology*, 28(3), 1019-1028. [https://doi.org/10.1044/2019\\_AJSLP-18-0187](https://doi.org/10.1044/2019_AJSLP-18-0187)
-  Pandian, V., Cole, T., Kilonsky, D., Holden, K., Feller-Kopman, D. J., Brower, R., & Mirski, M. (2020). Voice-related quality of life increases with a talking tracheostomy tube: A randomized controlled trial. *The Laryngoscope*, 130(5), 1249-1255. <https://doi.org/10.1002/lary.28211>
-  Passy, V., Baydur, A., Prentice, W., & Darnell-Neal, R. (1993). Passy-Muir tracheostomy speaking valve on ventilator-dependent patients. *The Laryngoscope*, 103(6), 653-658. <https://doi.org/10.1288/00005537-199306000-00013>
-  Perme, C., & Chandrashekhar, R. K. (2008). Managing the patient on mechanical ventilation in ICU: Early mobility and walking program. *Acute Care Perspectives*, 17(1), 10-15.
-  Peruzzi, W., Logemann, J., Currie, D., & Moen, S. (2001). Assessment of aspiration in patients with tracheostomies: Comparison of bedside colored dye assessment with videofluoroscopic examination. *Respiratory Care*, 46(3), 243-247.
-  Peterson, M. C., Holbrook, J. H., Von Hales, D., Smith, N. L., & Staker, L. V. (1992). Contributions of the history, physical examination, and laboratory investigation in making medical diagnoses. *Western Journal of Medicine*, 156(2), 163-165.
-  Petosic, A., Viravong, M. F., Martin, A. M., Nilsen, C. B., Olafsen, K., & Berntzen, H. (2021). Above cuff vocalisation (ACV): A scoping review. *Acta Anaesthesiologica Scandinavica*, 65(1), 15-25. <https://doi.org/10.1111/aas.13706>
-  Pincherle, A., Jöhr, J., Pancini, L., Leocani, L., Dalla Vecchia, L., Ryvlin, P., Schiff, N.D., & Diserens, K. (2020). Intensive care admission and early neuro-rehabilitation. Lessons for COVID-19? *Frontiers in Neurology*, 11, 880. <https://doi.org/10.3389/fneur.2020.00880>
-  Pitts, T., Bolser, D., Rosenbek, J., Troche, M., Okuri, M. S., & Sapienza, C. (2009). Impact of expiratory muscle strength training on voluntary cough and swallow function in Parkinson disease. *Chest*, 135(5), 1301-1308. <https://doi.org/10.1378/chest.08-1389>
-  Prigent, H., Lejaille, M., Terzi, N., Annane, D., Figere, M., Orlikowski, D., & Lofaso, F. (2011). Effect of a tracheostomy speaking valve on breathing–swallowing interaction. *Intensive Care Medicine*, 38(1), 85-90. <https://doi:10.1007/s00134-011-2417-8>
-  Pronello, D. R., Gimenez, G., Prado, F., Salinas, P., Herrero, M. V., & Bach, J. R. (2020). Tracheostomy in children: The challenges of decannulation, revision and work proposal. *Neumologia Pediatrica*, 14(3), 164 – 174. <https://www.researchgate.net/publication/340435449>
-  Raj, T. & Martina, T. (2024). Dysphagia in cervical spinal cord injury due to trauma. *Yugato*, 76(1), 89-95. <https://yugato.org/index.php/YUG/article/view/8>
-  Rajajee, V., Williamson, C. A., & West, B. T. (2015). Impact of real-time ultrasound guidance on complications of percutaneous dilatational tracheostomy: A propensity score analysis. *Critical Care*, 19(1), 198. <https://doi.org/10.1186/s13054-015-0924-7>

-   Rao, F., Garuti, G., Vitacca, M., Banfi, P., Racca, F., Cutrera, R., Pavone, M., Pedemonte, M., Schisano, M., Pedroni, S., Casiraghi, J., Vianello, A., & Sansone, V. A. on behalf of the UILDM Respiratory group. (2021). Management of respiratory complications and rehabilitation in individuals with muscular dystrophies: 1st Consensus Conference report from UILDM - Italian Muscular Dystrophy Association (Milan, January 25 -16, 2019). *Acta Myologica*, 8 – 42. <https://doi.org/10.36185/2532-1900-045>
-    Rauchman, S. H., Placantonakis, D. G., & Reiss, A. B. (2023). Manifestations of mild-to-moderate traumatic brain injury. *Frontiers in Neuroscience*, 17. <https://doi.org/10.3389/fnins.2023.1266355>
-    Raynor, E. M. & Wohl, D. (2024). Tracheostomy-related swallowing issues in children. *Otolaryngologic Clinics of North America*, 57(4), 649-655. <https://doi.org/10.1016/j.otc.2024.02.017>
-   Renner, C., Jeitziner, M., Albert, M., Brinkmann, S., Diserens, K., Dzialowski, I., Heidler, M., Luck, M., Nusser-Muller-Busch, R., Sandor, P., Schafer, A., Scheffler, B., Wallesch, C., Zimmerman, G., & Nydahl, P. (2023). Guideline on multimodal rehabilitation for patients with post-intensive care syndrome. *Critical Care*, 27, 301. <https://doi.org/10.1186/s13054-023-04569-5>
-     Roberts, H., & Greenwood, N. (2019). Speech and language therapy best practice for patients in prolonged disorders of consciousness: A modified Delphi study. *International Journal of Language & Communication Disorders*, 54(5), 841-854. <https://doi.org/10.1111/1460-6984.12489>
-      Roberts, K. J. (2020). Enhancing early mobility with a speaking valve. *Respiratory Care*, 65(2), 269-270. <https://doi.org/10.4187/respcare.07671>
-      Rodrigues, K. A., Machado, F. R., Chiari, B. M., Rossetti, H. B., Lorenzon, P., & Gonçalves, M. I. (2015). Swallowing rehabilitation of dysphagic tracheostomized patients under mechanical ventilation in intensive care units: A feasibility study. *Revista Brasileira De Terapia Intensiva*, 27(1), 64-71. <https://doi.org/10.5935/0103-507x.20150011>
-    Rose, L., Sutt, A. L., Amaral, A. C., Fergusson, D. A., Smith, O. M., & Dale, C. M. (2021). Interventions to enable communication for adult patients requiring an artificial airway with or without mechanical ventilator support. *Cochrane Library: Cochrane Database of Systematic Reviews*, 10 (CD013379). <https://doi.org/10.1002/14651858.CD013379.pub2>
-    Ross, J., & White, M. (2003). Removal of the tracheostomy tube in the aspirating spinal cord-injured patient. *Spinal Cord*, 41(11), 636-642. <https://doi.org/10.1038/sj.sc.3101510>
-      Rovira, A., Dawson, D., Walker, A., Tornari, C., Dinham, A., Foden, N., Surda, P., Archer, S., Lonsdale, D., Ball, J., Ofo, E., Karagama, Y., Odutoye, T., Simo, R., & Arora, A. (2021). Tracheostomy care and decannulation during the COVID-19 pandemic. A multidisciplinary clinical practice guideline. *European Archives of Oto-Rhino-Laryngology*, 273, 313-321. <https://doi.org/10.1007%2Fs00405-020-06126-0>
-   Sapienza, C., Trocher, M. (2012). *Respiratory Muscle Strength Training Theory and Practice*. San Diego, CA: Plural Publishing.
-    Santos, A., Harper, D., Gandy, S. & Buchanan, B. (2018). The positive impact of multidisciplinary tracheostomy team in the care of post-tracheostomy patients. *Critical Care Medicine*, 46(1): 1214.
-   Schellekens, W. M., Hees, H. W., Doorduin, J., Roesthuis, L. H., Scheffer, G. J., Hoeven, J. G., & Heunks, L. M. (2016). Strategies to optimize respiratory muscle function in ICU patients. *Critical Care*, 20(1), 103. <https://doi.org/10.1186/s13054-016-1280-y>
-   Schwarz, E.I. & Bloch, K.E. (2019). Frontiers in clinical practice of long-term care of chronic ventilatory failure. *Respiration*, 98, 1-15. <https://doi.org/10.1159/000499316>
-    Sciaky, A. J. (1994). Mobilizing the intensive care unit patient: Pathophysiology and treatment. *Physical Therapy Practice*, 3(2), 69-80.
-   Shaker, R., Milbrath, M., Ren, J., Campbell, B., Toohill, R., & Hogan, W. (1995). Deglutitive aspiration in patients with tracheostomy: Effect of tracheostomy on the duration of vocal cord closure. *Gastroenterology*, 108(5), 1357-1360. [https://doi.org/10.1016/0016-5085\(95\)90682-7](https://doi.org/10.1016/0016-5085(95)90682-7)
-   Shea, M., & McDonald, D. D. (2010). Factors associated with increased pain communication by older adults. *Western Journal of Nursing Research*, 33(2), 196-206. <https://doi.org/10.1177/0193945910372775>

-    Siebens, A. A., Tippett, D. C., Kirby, N., & French, J. (1993). Dysphagia and expiratory air flow. *Dysphagia*, 8(3), 266-269. <https://doi.org/10.1007/bf01354549>
-    Singh, H., Srivastava, M., Singh, A. K., Singh, H., & Ahmad, W. (2020). Tracheostomy from insertion to decannulation. *Journal of Otorhinolaryngology and Allied Science*, 3(2), 36-41. <https://www.joas.co.in/html-article/11917>
-    Skoretz, S. A., Anger, N., Wellman, L., Takai, O., & Empey, A. (2020). A systematic review of tracheostomy modifications and swallowing in adults. *Dysphagia*, 35(6), 935-947. <https://doi.org/10.1007/s00455-020-10115-0>
-     Sohn, E. Y., Peck, K., Kamerman Kretzmer, R., Kato, R., Keens, T. G., & Davidson Ward, S. L. (2021). Comparison of SIMV+ PS and AC modes in chronically ventilated children and effects on speech. *Pediatric Pulmonology*, 56(1), 179 – 186. <https://doi.org/10.1002/ppul.25102>
-    Southcott, A. M., Holdsworth, C., Malcolm, L., Muruganandan, S., & Skinner, E. (2019). Evaluation of the implementation of a Tracheostomy Review Services (TRS): An observational cohort study. *Journal of Interprofessional Care*, 33(6), 697-705. <https://doi.org/10.1080/13561820.2019.1566216>
-    Speed, L., & Harding, K. E. (2013). Tracheostomy teams reduce total tracheostomy time and increase speaking valve use: A systematic review and meta-analysis. *Journal of Critical Care*, 28(2), 216.e1-10. <https://doi.org/10.1016/j.jcrc.2012.05.005>
-    St-Laurent, A., Zielinski, D., Qazi, A., AlAwadi, A., Almajed, A., Adamko, D. J., Alabdoulsalam, T., Chiang, J., Derynck, M., Gerdung, C., & Kam, K. (2023). Chronic tracheostomy care of ventilator-dependent and-independent children: Clinical practice patterns of pediatric respirologists in a publicly funded (Canadian) healthcare system. *Pediatric Pulmonology*, 58(1), 140-151. <https://doi.org/10.1002/ppul.26171>
-    Stachler, R. J., Hamlet, S. L., Choi, J., & Fleming, S. (1996). Scintigraphic quantification of aspiration reduction with the Passy-Muir valve. *The Laryngoscope*, 106(2), 231-234. <https://doi.org/10.1097/00005537-199602000-00024>
-   Stranix, J. T., Danziger, K., Dumbrava, V. L., Mars, G., Hirsch, D. L., & Levine, J. P. (2016). Technique to improve tracheostomy speaking valve tolerance after head and neck free flap reconstruction. *Plastic and Reconstructive Surgery – Global Open*, 4(12): e1082.
-   Stead, A., Tinsley, J., Mandulak, K., Michael, P., & Deiner, H. (2023). Use of a standardized tracheostomy patient simulation to evaluate student clinical communication skills. *Teaching and Learning in Communication Sciences & Disorders*, 7(2), 7. <https://doi.org/10.30707/TLCSD.7.2.1690393489.718643>
-      Stierli, S., Buss, I., Redecker, H., Baumberger, M., Blättler, E., Selb, M., Ischer, B., & Schwegler, H. (2020). Insights from an interprofessional post-COVID-19 rehabilitation unit: A speech and language therapy and respiratory medicine perspective. *Journal of Rehabilitation Medicine*, 52(9). <https://doi.org/10.2340/16501977-2735>
-    Suiter, D. M., McCullough, G. H., & Powell, P. W. (2003). Effects of cuff deflation and one-way tracheostomy speaking valve placement on swallow physiology. *Dysphagia*, 18(4), 284-292. <https://doi.org/10.1007/s00455-003-0022-x>
-     Sun, G. H., Chen, S. W., MacEachern, M. P., & Wang, J. (2020). Successful decannulation of patients with traumatic spinal cord injury: A scoping review. *The Journal of Spinal Cord Medicine*, 1-12. <https://doi.org/10.1080/10790268.2020.1832397>
-    Supinski, G. S., & Callahan, L. A. (2013). Diaphragm weakness in mechanically ventilated critically ill patients. *Critical Care*, 17(3), R120. <https://doi.org/10.1186/cc12792>
-    Sutt, A. L., Antsey, C., Caruana, L. R., Cornwell, P. L., & Fraser, J. (2017). Ventilation distribution and lung recruitment with speaking valve use in tracheostomised patient weaning from mechanical ventilation in intensive care. *Journal of Critical Care*, 40:164-170. <https://doi.org/10.1016/j.jcrc.2017.04.001>
-    Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., Antsey, C. M., & Fraser, J. F. (2016). Speaking valves in tracheostomised ICU patients weaning off mechanical ventilation - Do they facilitate lung recruitment? *Critical Care*, 20(1), 91. <https://doi.org/10.1186/s13054-016-1249-x>

-  Sutt, A., Caruana, L. R., Dunster, K. R., Cornwell, P. L., & Fraser, J. F. (2015). Improved lung recruitment and diaphragm mobility with an in-line speaking valve in tracheostomised mechanically ventilated patients – An observational study. *Australian Critical Care*, 28(1), 45. <https://doi.org/10.1016/j.aucc.2014.10.021>
-  Sutt, A., Cornwell, P. L., Caruana, L. R., Dunster, K. R., & Fraser, J. F. (2015). Speaking valves in mechanically ventilated ICU patients - Improved communication and improved lung recruitment. *American Journal of Respiratory Critical Care Medicine*, 191, A3162.
-  Sutt, A., Cornwell, P., Hay, K., Fraser, J., & Rose, L. (2022). Communication success and speaking valve use in intensive care patients receiving mechanical ventilation. *American Journal of Critical Care*, 31(5), 411-415. <https://doi.org/10.4037/ajcc2022516>
-  Sutt, A., Cornwell, P. L., Mullany, D., Kinneally, T., & Fraser, J. F. (2015). The use of tracheostomy speaking valves in mechanically ventilated patients results in improved communication and does not prolong ventilation time in cardiothoracic intensive care unit patients. *Journal of Critical Care*, 30(3), 491-494. <https://doi.org/10.1016/j.jcrc.2014.12.017>
-  Sutt, A., & Fraser, J. F. (2015). Speaking valves as part of standard care with tracheostomized mechanically ventilated patients in intensive care unit. *Journal of Critical Care*, 30(5), 1119-1120. <https://doi.org/10.1016/j.jcrc.2015.06.015>
-  Sutt, A. L., Hay, K., Kinneally, T., Fisquet, S., & Fraser, J. F. (2020). Sedatives, analgesics and antipsychotics in tracheostomised ICU patients–Is less more? *Australian Critical Care*, 33(5), 407-411. <https://doi.org/10.1016/j.aucc.2018.12.004>
-  Sutt, A. L., Wallace, S., & Egbers, P. (2021). Upper airway assessment for one-way valve use in a patient with a tracheostomy. *American Journal of Speech-Language Pathology*, 30(6), 2716-2717. [https://doi.org/10.1044/2021\\_AJSLP-21-00174](https://doi.org/10.1044/2021_AJSLP-21-00174)
-  Tembo, A. C., Higgins, I., & Parker, V. (2015). The experience of communication difficulties in critically ill patients in and beyond intensive care: Findings from a larger phenomenological study. *Intensive and Critical Care Nursing*, 31(3), 171-178. <https://doi.org/10.1016/j.iccn.2014.10.004>
-  Tolep, K., Getch, C. L., & Criner, G. J. (1996). Swallowing dysfunction in patients receiving prolonged mechanical ventilation. *Chest*, 109(1), 167-172. <https://doi.org/10.1378/chest.109.1.167>
-  Tornari, C., Surda, P., Takhar, A., Amin, N., Dinham, A., Harding, R., Ranford, D. A., Archer, S. K., Wyncoll, D., Tricklebank, S., Ahmad, I., Simo, R., & Arora, A. (2021). Tracheostomy, ventilatory wean, and decannulation in COVID-19 patients. *European Archives of Oto-Rhino-Laryngology*, 278(5), 1595-1604. <https://doi.org/10.1007/s00405-020-06187-1>
-  Trees, D. W., Smith, J. M., & Hockert, S. (2013). Innovative mobility strategies for the patient with intensive care unit-acquired weakness: A case report. *Physical Therapy*, 93(2), 237-247. <https://doi.org/10.2522/ptj.20110401>
-  Twose, P., Jones, G., Lowes, J., & Morgan, P. (2019). Enhancing care of patients requiring a tracheostomy: A sustained quality improvement project. *Journal of Critical Care*, 54, 191- 196. <https://doi.org/10.1016/j.jcrc.2019.08.030>
-  Vargas, M., & Servillo, G. (2016). One-way, positive-pressure speaking valve during mechanical ventilation via tracheostomy tube: Risks or benefits? *Critical Care Medicine*, 44(11): e1146-e1147.
-  Vergara, J., Starmer, H.M., Wallace, S., Bolton, L., Seedat, J., De Souza, C.M., Freitas, S.V., & Skoretz, S.A. (2021). Swallowing and communication management of tracheostomy and laryngectomy in the context of COVID-19: A review. *JAMA Otolaryngology–Head & Neck Surgery*, 147(1), 85-90. <https://doi.org/10.1001/jamaoto.2020.3720>
-  Wallace, S., McGowan, S., & Sutt, A. L. (2023). Benefits and options for voice restoration in mechanically ventilated intensive care unit patients with a tracheostomy. *Journal of the Intensive Care Society*, 24(1), 104-111. <https://doi.org/10.1177/1751143722113162>
-  Wallace, S., & McGrath, B. A. (2021). Laryngeal complications after tracheal intubation and tracheostomy. *BJA Education*, 21(7), 250–257. <https://doi.org/10.1016/j.bjae.2021.02.005>

-  Wheeler Hegland, K., Huber, J. E., Pitts, T., & Sapienza, C. M. (2009). Lung volume during swallowing: Single bolus swallows in healthy young adults. *Journal of Speech, Language and Hearing Research*, 52(1), 178-187. <https://pubs.asha.org/doi/10.1044/1092-4388%282008/07-0165%29>
-  Whitmore, K. A., Townsend, S. C., & Laupland, K. B. (2020). Management of tracheostomies in the intensive care unit: A scoping review. *BMJ Open Respiratory Research*, 7(1). <https://dx.doi.org/10.1136/bmjresp-2020-000651>
-  Wiberg, S., Whitling, S., & Bergström, L. (2020). Tracheostomy management by speech-language pathologists in Sweden. *Logopedics Phoniatrics Vocology*, 1-11. <https://doi.org/10.1080/14015439.2020.1847320>
-  You, P., Dimachkieh, A., Yu, J., Buchanan, E., Rappazzo, C., Raynor, T., Arjmand, E., Bedwell, J., Weber, R.S., Kupferman, M.E., & Chelius, D.C. (2022). Decannulation protocol for short term tracheostomy in pediatric head and neck tumor patients. *International Journal of Pediatric Otorhinolaryngology*, 153, 111012. <https://doi.org/10.1016/j.ijporl.2021.111012>
-  Young, A., Walsh, K., Ida, J., Thompson, D., & Hazkani, I. (2024). Transtracheal pressure for evaluation of decannulation readiness. *The Laryngoscope*, 134(7), 3377-3383. <https://onlinelibrary.wiley.com/doi/10.1002/lary.31280>
-  Yu, M. (2010). Tracheostomy patients on the ward: Multiple benefits from a multidisciplinary team? *Critical Care*, 14(1), 109. <https://doi.org/10.1186/cc8218>
-  Zaga, C.J., Berney, S., & Vogel, A.P. (2019). The feasibility, utility, and safety of communication interventions with mechanically ventilated intensive care unit patients: A systematic review. *American Journal of Speech-Language Pathology*, 28(3), 1335-1355. [https://doi.org/10.1044/2019\\_AJSLP-19-0001](https://doi.org/10.1044/2019_AJSLP-19-0001)
-  Zaga, C. J., Cigognini, B., Vogel, A. P., & Berney, S. (2020). Outcome measurement tools for communication, voice and speech intelligibility in the ICU and their clinimetric properties: A systematic review. *Journal of the Intensive Care Society*, 1-14. <https://doi.org/10.1177/1751143720963757>
-  Zaga, C. J., Pandian, V., Brodsky, M. B., Wallace, S., Cameron, T. S., Chao, C., Orloff, L. A., Atkins, N. E., McGrath, B. A., Lazarus, C. L., Vogel, A. P. & Brenner, M. J. (2020). Speech-language pathology guidance for tracheostomy during the COVID-19 pandemic: An international multidisciplinary perspective. *American Journal of Speech-Language Pathology*, 29(3), 1320-1334. [https://doi.org/10.1044/2020\\_AJSLP-20-00089](https://doi.org/10.1044/2020_AJSLP-20-00089)
-  Zhou, T., Wang, J., Zhang, C., Zhang, B., Guo, H., Yang, B., Li, Q., Ge, J., Li, Y., Niu, G., & Gao, H. (2022). Tracheostomy decannulation protocol in patients with prolonged tracheostomy referred to a rehabilitation hospital: A prospective cohort study. *Journal of Intensive Care*, 10(1), 34. <https://doi.org/10.1186/s40560-022-00626-3>
-  Zilberberg, M. D., & Shorr, A. F. (2008). Prolonged acute mechanical ventilation and hospital bed utilization in 2020 in the United States: Implications for budgets, plant and personnel planning. *BMC Health Services Research*, 8(1), 242. <https://doi.org/10.1186/1472-6963-8-242>